Pain 85 (2000) 533–535

PAIN

www.elsevier.nl/locate/pain

Contents to Volume 85 (2000)

Numbers 1,2 – March 2000

EDITORIAL

Clinical notes
J.E. Charlton (UK) 1

TOPICAL REVIEW

Trigeminal neuralgia: opportunities for research and treatment
C.A. Kitt, K. Gruber, M. Davis, C.J. Woolf, J.D. Levine (USA) 3

REVIEW ARTICLE

Effects of antagonists to high-threshold calcium channels upon spinal mechanisms of pain, hyperalgesia and allodynia
H. Vanegas, H.-G. Schaible (Venezuela, Germany) 9

RESEARCH PAPERS

Pain-related cerebral activation is altered by a distracting cognitive task
P. Petrovic, K.M. Petersson, P.H. Ghatan, S. Stone-Elander, M. Ingvar (Sweden) 19
Pain and allodynia/hyperalgesia induced by intramuscular injection of serotonin in patients with fibromyalgia and healthy individuals
M. Ernberg, T. Lundeberg, S. Kopp (Sweden) 31
Immunolocalization of SNS/PN3 and NaN/SNS2 sodium channels in human pain states
K. Coward, C. Plumpton, P. Facer, R. Birch, T. Carlstedt, S. Tate, C. Bountra, P. Anand (UK) 41
Age-related differences in the time course of capsaicin-induced hyperalgesia
Z. Zheng, S.J. Gibson, Z. Khalil, R.D. Helme, J.M. McMeeken (Australia) 51
Intrathecal lithium reduces neuropathic pain responses in a rat model of peripheral neuropathy
T. Shimizu, M. Shibata, S. Wakisaka, T. Inoue, T. Mashimo, I. Yoshiya (Japan) 59
Morphine and NMDA receptor antagonism reduce c-*fos* expression in spinal trigeminal nucleus produced by acute injury to the TMJ region
D.A. Bereiter, D.F. Bereiter (USA) 65
Differences between the sexes in post-surgical pain
C. Morin, J.P. Lund, T. Villarroel, C.M.L. Clokie, J.S. Feine (Canada) 79
Sociodemographic correlates of tooth pain among adults: United States, 1989
C.M. Vargas, M.D. Macek, S.E. Marcus (USA) 87
Sex differences and phases of the estrous cycle alter the response of spinal cord dynorphin neurons to peripheral inflammation and hyperalgesia
H. Bradshaw, J. Miller, Q. Ling, K. Malsnee, M.A. Ruda (USA) 93
A comparative trial of botulinum toxin type A and methylprednisolone for the treatment of myofascial pain syndrome and pain from chronic muscle spasm
M. Porta (Italy) 101
Development and validation of a questionnaire to assess disabling foot pain
A.P. Garrow, A.C. Papageorgiou, A.J. Silman, E. Thomas, M.I.V. Jayson, G.J. Macfarlane (UK) 107
Do beliefs, coping, and catastrophizing independently predict functioning in patients with chronic pain?
J.A. Turner, M.P. Jensen, J.M. Romano (USA) 115
Differences in pain expression between male and female newborn infants
R. Guinsburg, C. de Araújo Peres, M. Fernanda Branco de Almeida, R. de Cássia Xavier Balda, R. Cássia Berenguel, J. Tonelotto, B. Israel Kopelman (Brazil) 127
Synergistic interactions between two α_2-adrenoceptor agonists, dexmedetomidine and ST-91, in two substrains of Sprague–Dawley rats
B.A. Graham, D.L. Hammond, H.K. Proudfit (USA) 135
Nociceptive and inflammatory effects of subcutaneous TNFα
H. Junger, L.S. Sorkin (USA) 145
Brainstem pain modulating circuitry is sexually dimorphic with respect to mu and kappa opioid receptor function
S.A. Tershner, J.M. Mitchell, H.L. Fields (USA) 153

Effects of the I_1 imidazoline/α_2-adrenergic receptor agonist moxonidine in comparison with clonidine in the formalin test in rats
H.E. Shannon, E.A. Lutz (USA) 161
Quantitative estimation of rare adverse events which follow a biological progression: a new model applied to chronic NSAID use
M.R. Tramèr, R.A. Moore, D.J.M. Reynolds, H.J. McQuay (Switzerland, UK) 169
Periaqueductal gray matter metabotropic glutamate receptors modulate formalin-induced nociception
S. Maione, P. Oliva, I. Marabese, E. Palazzo, F. Rossi, L. Berrino, F. Rossi, A. Filippelli (Italy) 183
The impact of HIV infection on primary headache. Unexpected findings from retrospective, cross-sectional, and prospective analyses
S. Evers, B. Wibbeke, D. Reichelt, B. Suhr, R. Brilla, I.-W. Husstedt (Germany) 191
Perceived pain before and after three exercise programs – a controlled clinical trial of women with work-related trapezius myalgia
K. Waling, G. Sundelin, C. Ahlgren, B. Järvholm (Sweden) 201
The cognitive and psychomotor effects of morphine in healthy subjects: a randomized controlled trial of repeated (four) oral doses of dextropropoxyphene, morphine, lorazepam and placebo
W.M. O'Neill, G.W. Hanks, P. Simpson, M.T. Fallon, E. Jenkins, K. Wesnes (UK) 209
Low-dose lidocaine reduces secondary hyperalgesia by a central mode of action
W. Koppert, N. Ostermeier, R. Sittl, C. Weidner, M. Schmelz (Germany) 217
Avoidance versus focused attention and the perception of pain: differential effects for men and women
E. Keogh, K. Hatton, D. Ellery (UK) 225
Do nerve growth factor-related mechanisms contribute to loss of cutaneous nociception in leprosy?
P. Facer, D. Mann, R. Mathur, S. Pandya, U. Ladiwala, B. Singhal, J.-A. Hongo, D.V. Sinicropi, G. Terenghi, P. Anand (UK, India, USA) 231
The role of 5-HT_{1A}-receptors in fentanyl-induced bulbospinal inhibition of a spinal withdrawal reflex in the rabbit
R.W. Clarke, R.E. Ward (UK) 239
Intensity dependence of auditory evoked cortical potentials in migraine families
M. Siniatchkin, P. Kropp, M. Neumann, W.-D. Gerber, U. Stephani (Germany) 247
Delta opioid receptor mediated actions in the rostral ventromedial medulla on tail flick latency and nociceptive modulatory neurons
I. Harasawa, H.L. Fields, I.D. Meng (USA) 255
Dorsal column-thalamic pathway is involved in thalamic hyperexcitability following peripheral nerve injury: a lesion study in rats with experimental mononeuropathy
K. Miki, K. Iwata, Y. Tsuboi, T. Morimoto, E. Kondo, Y. Dai, K. Ren, K. Noguchi (Japan, USA) 263
Prolonged ovarian sex steroid treatment of male rats produces antinociception: identification of sex-based divergent analgesic mechanisms
N.-J. Liu, A.R. Gintzler (USA) 273

CLINICAL NOTES

Debilitating chronic pain syndromes after presumed intraneural injections
B.R. Kaufman, E. Nystrom, S. Nath, G. Foucher, A. Nystrom (USA, Sweden, France) 283
Ziconotide for the treatment of severe spasticity after spinal cord injury
B. Ridgeway, M. Wallace, A. Gerayli (USA) 287
Adverse effects associated with the intrathecal administration of ziconotide
R.D. Penn, J.A. Paice (USA) 291
Electroconvulsive therapy for phantom limb pain
K.G. Rasmussen, T.A. Rummans (USA) 297
Complete Freund's adjuvant-induced hyperalgesia: a human perception
H.J. Gould III (USA) 301
Virtual reality as an adjunctive pain control during burn wound care in adolescent patients
H.G. Hoffman, J.N. Doctor, D.R. Patterson, G.J. Carrougher, T.A. Furness III (USA) 305

LETTERS TO THE EDITOR

Peripheral antinociceptive actions of desimipramine and fluoxetine in an inflammatory and neuropathic pain test in the rat
Comment on J. Sawynok, M.J. Esser, A.R. Reid, Pain, 82 (1999) 149–158
G. McCleane (UK) 311
Reply to G. McCleane
J. Sawynok, M.J. Esser (Canada) 311

Number 3 – April 2000

EDITORIAL

The use of non-pharmacological therapies by pain specialists
B.M. Berman, R.B. Bausell (USA) 313

REVIEW ARTICLE

Fear-avoidance and its consequences in chronic musculoskeletal pain: a state of the art
J.W.S. Vlaeyen, S.J. Linton (The Netherlands, Sweden) 317

RESEARCH PAPERS

A new animal model for assessing mechanisms and management of muscle hyperalgesia
L.J. Kehl, T.M. Trempe, K.M. Hargreaves (USA) 333
The α_{2A} adrenoceptor and the sympathetic postganglionic neuron contribute to the development of neuropathic heat hyperalgesia in mice
W.S. Kingery, T.Z. Guo, M.F. Davies, L. Limbird, M. Maze (USA) 345
An fMRI study of the anterior cingulate cortex and surrounding medial wall activations evoked by noxious cutaneous heat and cold stimuli
C.L. Kwan, A.P. Crawley, D.J. Mikulis, K.D. Davis (Canada) 359
Cognitive factors and the experience of pain and suffering in older persons
S.J. Gibson, R.D. Helme (Australia) 375
Presynaptic inhibition by baclofen of miniature EPSCs and IPSCs in substantia gelatinosa neurons of the adult rat spinal dorsal horn
M. Iyadomi, I. Iyadomi, E. Kumamoto, K. Tomokuni, M. Yoshimura (Japan) 385
Spinal PKC activity and expression: role in tolerance produced by continuous spinal morphine infusion
V. Granados-Soto, I. Kalcheva, X.-Y. Hua, A. Newton, T.L. Yaksh (USA) 395
Gabapentin affects glutamatergic excitatory neurotransmission in the rat dorsal horn
M. Shimoyama, N. Shimoyama, Y. Hori (Japan) 405
An evaluation of homogeneity tests in meta-analyses in pain using simulations of individual patient data
D.J. Gavaghan, R.A. Moore, H.J. McQuay (UK) 415
Effects of midazolam in the spinal nerve ligation model of neuropathic pain in rats
V.K. Kontinen, A.H. Dickenson (UK, Finland) 425
Unaltered peripheral excitatory actions of nociceptin contrast with enhanced spinal inhibitory effects after carrageenan inflammation: an electrophysiological study in the rat
K.J. Carpenter, M. Vithlani, A.H. Dickenson (UK) 433
Analgesic and toxic effects of ABT-594 resemble epibatidine and nicotine in rats
S. Boyce, J.K. Webb, S.L. Shepheard, M.G.N. Russell, R.G. Hill, N.M.J. Rupniak (UK) 443
Some empirical evidence regarding the validity of the Spanish Version of the McGill Pain Questionnaire (MPQ-SV)
A.I. Masedo, R. Esteve (Spain) 451
Simple pain rating scales hide complex idiosyncratic meanings
A.C. de C. Williams, H.T. Oakley Davies, Y. Chadury (UK) 457
Synergistic effect of cholecystokinin octapeptide and angiotensin II in reversal of morphine induced analgesia in rats
N.-L. Han, F. Luo, Z.-P. Bian, J.-S. Han (PR China) 465
Alexithymia is associated with low tolerance to experimental painful stimulation
I. Nyklíček, A.J.J.M. Vingerhoets (The Netherlands) 471
Hyperalgesia and upregulation of cytokines and nerve growth factor by cutaneous leishmaniasis in mice
S.A. Kanaan, N.E. Saadé, M. Karam, H. Khansa, S.J. Jabbur, A.R. Jurjus (Lebanon) 477
Ketamine reduces muscle pain, temporal summation, and referred pain in fibromyalgia patients
T. Graven-Nielsen, S. Aspegren Kendall, K.G. Henriksson, M. Bengtsson, J. Sörensen, A. Johnson, B. Gerdle, L. Arendt-Nielsen (Denmark, Sweden) 483
Mechanical hyperalgesia after an L5 spinal nerve lesion in the rat is not dependent on input from injured nerve fibers
Y. Li, M.J. Dorsi, R.A. Meyer, A.J. Belzberg (USA) 493
Tactile allodynia in the absence of C-fiber activation: altered firing properties of DRG neurons following spinal nerve injury
C.-N. Liu, P.D. Wall, E. Ben-Dor, M. Michaelis, R. Amir, M. Devor (Israel, UK, Germany) 503

LETTERS TO THE EDITOR

Comment on Thompson E.N., Pain 82 (1999) 109–110
R.D. Gillette (USA) 523
Comment on: Svendsen et al., Some problems with wind-up and its calculation, Pain 83 (1999) 109–111
A.H. Dickenson, L.C. Stanfa, V. Kontinen, R. Suzuki, K. Carpenter (UK) 524
Comment on correspondence regarding Wallis et al., Pain 73 (1997) 15–22, Pain 81 (1999) 323–326
R. Ferrari (Canada) 525
Is it really possible to do a selective nerve root block?
M.B. Furman, E.M. O'Brien (USA) 526
Comments on Mercandante, Pain 79 (1999) 1–13
E.M. Delhaas, R.T.M. van Dongen, B.J.P. Crul (The Netherlands) 526

Author Index to Volume 85 529
Contents to Volume 85 533